An Ordinance to provide for certain improvements on Peachtree and Trammell Streets from the intersection of Peachtree Street with the pavement on Main Street, thence going in an Easterly direction along Peachtree Street 1,113 feet to the intersection of Trammell Street, thence up Trammell Street in a Southerly direction 226 feet to the end of the pavement on Trammell Street.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF ROANOKE, ALA-BAMA, AS FOLLOWS:

SECTION 1: That Peachtree and Trammell Streets, from the intersection of Peachtree Street with the pavement on Main Street, thence going in an Easterly direction along Peachtree Street, 1,113 feet to the intersection of Trammell Street, thence up Trammell Street in a Southerly direction 226 feet to the end of the pavement on Trammell Street, shall be graded.

That the North and South edges of a 22 ft. roadway along the center line of Peachtree and Trammell Streets, from the intersection of Peachtree Street with the pavement on Main Street, thence going in an Easterly direction along Peachtree Street 1,113 feet to the intersection of Trammell Street and thence up Trammell Street in a Southerly direction 226 feet to the end of the pavement on Trammell Street, shall be curbed with Portland Cement Concrete constructed integral with the paving; that the roadway between the curb line of Peachtree and Trammell Streets, from the intersection of Peachtree Street with the pavement on Main Street, thence going in an Easterly direction along Peachtree street 1,113 feet to the intersection of Trammell Street and thence up Trammell Street in a Southerly direction 226 feet to the end of the pavement on Trammell Street, and the roadway between the curb lines extending to the property lines of all

intersecting streets between said points, shall be paved with Portland Cement Concrete paving 6 inches thick.

That the entrances of roads along said street shall be paved with Portland Cement Concrete 6 inches thick for the full width of the sidewalk; that vitrified clay ro concrete drainage pipes, inlets and manholes bricked with cast iron covers, shall be constructed along said streets between said points.

SECTION 2: That said improvements shall be made in accordance with the established grades on file in the office of the City Clerk, for said portion of said streets, and according to the full detail drawings, plans, specifications and surveys of said works and estimates, which have been prepared by the City Engineer, exhibited to the City Council, and now on file in the office of the City Clerk, where property owners who may be affected by said improvements may dee and examine the same.

SECTION 3: That the cost of constructing said improvements shall be assessed against the property abutting on that portion of said streets so improved, provided:

- (a) That the cost of improving any intersection or any part
 thereof shall be assessed against the lots or parcels of land
 abutting on each of the streets, avenues, alleys or other
 highways so intersecting for a half block in each direction
 therefrom, provided that for the purpose of computing assessments, no block shall be considered as extending mor than 1,000
 feet from any intersection so improved.
- (b) That no assessment shall exceed the cost of such improvements or the increased value of such property by reason of the special benefits derived from such improvements.

SECTION 4: That the detail estimates of the cost of such

\$5,017.49, and that the City Council of Roanoke, Alabama, will meet on the 5th day of September, 1938, at the Council Chamber at 8 o'cdock, P.M. to hear any objections, remonstrances or protests that may be made against said improvements; the manner of making the same or the character of materials to be used.

SECTION 5: That this Ordinance shall be published by the City of Roanoke, in the Roanoke Leader, a newspaper published in Roanoke once a week, for two consecutive weeks, prior to the date set herein, at which time the City Council will meet to hear objections or remonstrances as may be made to said improvements, the manner of making the same or the character of materials to be used.

SECTION 6: That in the event the said improvements shall be ordered on or after the date of protest, then such paving will be done by said City of Roanoke, according to the plans and upon the terms and conditions set out in the specifications on file in the office of the City Clerk.

SECTION 7: That the City Clerk is hereby cirected to have a copy of this Ordinance sent by Registered mail, postage prepaid, to the person or persons last assessing for City Taxation, the property which may be assessed for said improvements at their last known address; said copies to be mailed not less than 10 days before the meeting of City Council, of Roqnoke, Alabama, hereinabove provided for.

I, Ora E. Jones, Clerk of the City of Roanoke, Alabama, hereby certify that the foregoing Improvement Ordinance No. 300 was passed and adopted by the Mayor and City Council of the City of Roanoke,

on the 22nd day of August, 1938, and was herein recorded and was p published in the Roanoke Leader, a newspaper of general circulation i in the City of Roanoke, Alabama, on the 24th and 31st day of August, 1938. To secrement to sold of the the

Ora E. Jones, Clerk City of Roanoke, Alabama